



Franke Coffee Systems

The art of excellent coffeemaking

bremer Fully Automatic Coffee Machine VIVA 24

Microprocessor-controlled fully automatic coffee machine for producing coffee specialities such as espresso, caffè crème, cappuccino, white coffee, latte macchiato and filtered coffee (brewed coffee). It has 2 grinders, 1 manual input, integrated milk frother, and steam and hot water dispenser.

Design:

All major parts are made of high-grade stainless steel. Housing parts and bean container are made of easy-care plastic. Non-return valve and VDE safety temperature limit switch. The machine carries the CE mark, is suppressed (shielded) and VDE tested. Modularly designed and equipped with LON Works network standard.

Features and equipment:

With the bremer needle filter brewing process, single or double cups of filtered coffee and coffee specialities can be freshly prepared as needed. Filtered coffee is filtered without pump pressure; espresso, caffè crème, cappuccino, white coffee and latte macchiato are produced with a pressure of 8 bar. The milk is frothed by means of the milk frother integrated in the outlet and is served with the coffee in one work process. The coffee bean containers have a large capacity of 500 g each. The coffee beans are freshly ground automatically after pressing a product button. Ground coffee and brewing water quantities can be individually set for each product. Depending on coffee preparation, hot water (metered / unmetered) and steam can be drawn using separate button switches. The coffee machine also has 6 programmable product buttons.

Ground mild coffee, decaffeinated coffee and other types can be manually metered via an input chute and prepared. The height-adjustable and backward-fold-down double outlet for coffee and milk froth allows you to prepare cappuccino and latte macchiato in one work process and to fill 2 cups at a time. The maximum positioning height is 168 mm and thus accommodates a commercially available glass pot or thermos jug for filtered coffee. All served beverages are shown in the display, are registered and can be called up, and are safeguarded with a PIN code in the settings menu. Dry discharge of the coffee grounds in the large grounds drawer outside the operation area.

Cleaning the coffee preparation system is done by adding a cleaning tablet and starting the fully automatic cleaning program that is part of the standard equipment. The milk line and milk frother head are cleaned at the same time.

Hourly performance:

Filtered coffee (brewed coffee)

Espresso

Caffé crème

Cappuccino

White coffee

Latte macchiato

Tea water

Overall serving performance: 120-140 cups / hr.

Technical data:

Connection values: 3.5 kW, 230 V 1 N AC 50 Hz

Dimensions: 240 x 560 x 690 mm (W x D x H)

Article no.: bremer VIVA 983 527